

# T-CAPSULE (FOR 10L KEG)

Keg capsules is commercial machine, It is a draft beer dispensing machine devel-oped for commercial and provides personalized draft beer retail solutions for bars and restaurants, More capacity and beer, Intelligent temperature control and con-stant pressure guarantee fresh, to meet the customer's picky taste buds, help you to take advantage of business potential.



**STEP 1**Start the dispenser



STEP 2
Install the disposable beer tube



STEP 3
Put a pre-cooled
3L ked into
the dispenser



STEP 4
Wait for the temperature drop to 3°C



**STEP 5** Tapping



# T-CAPSULE (FOR 10L KEG)

#### **√** TIMELY START EFCIENT REFRIGERATION

After the put the Keg PETinto the cabin, the compressor will launch immediately and cools the keg to 38 F° in real short time by refrigerating.

## **√** BEST TASTE

After the keg put in place, the compressor starts immediately and cools the keg rapidly in a short time by refrigerating the aluminum package. Reach optimal drinking temperature quickly.

### **√** REMOVE SAFETY

The connection between the hatch cover and the cabin body is equipped with a pressure relief micro switch. open the cover pressure will automatically relief from the keg, ensuring the safety of remove step during the replacement.



# **√** CONSTANT PRESSURE PRESERVATION

Low noise and vibration from the electric air pump. Constant ressure control to guarantee a fresh crisp taste each time.

### **√** THREE SCREEN DISPLAY

The front of the cabin is equipped with three screens, which correspond to the temperature, pressure and capacity of the Keg PET in the cabin respectively, glance and convenient for the operator to control the operation condition of the machine.

### √ CLEAN AND SANITARY

Thermostat

Disposable tube NSF certifed Clean and sanitary.

Digital

# PRODUCT PARAMETER

Part No.	1081051	Surface Color	White		
Voltage	220~240V	Cooling System	Dry Cooling		
Frequency	50/60Hz	Outlet Temperature	3~7 14.50kg		
Power	120W	outtor remperature			
Electric Current	0.55A	Net Weight			
Compressor	1/15HP	Dimensions	31.2cm L x 43.5cm		
Refrigerants	R600a/30g		W x 58.8cm H		





# T-CAPSULE (FOR 10L KEG)

### **√** TIMELY START EFCIENT REFRIGERATION

After the put the Keg PET into the cabin, the compressor will launch immediately and cools the keg to 38  $\,\mathrm{F}^\circ$  in real short time by refrigerating

### **√** BEST TASTE

After the keg put in place, the compressor starts immediately and cools the keg rapidly in a short time by refrigerating the aluminum package. Reach optimal drinking temperature quickly.

#### **√** REMOVE SAFETY

The connection between the hatch cover and the cabin body is equipped with a pressure relief micro switch. open the cover pressure will automatically relief from the keg, ensuring the safety of remove step during the replacement.



34.9cm

43.5 cm

### **√** CONSTANT PRESSURE PRESERVATION

Low noise and vibration from the electric air pump. Constant ressure control to guarantee a fresh crisp taste each time.

### **√** THREE SCREEN DISPLAY

The front of the cabin is equipped with three screens, which correspond to the temperature, pressure and capacity of the Keg PET in the cabin respectively, glance and convenient for the operator to control the operation condition of the machine.

## **√** CLEAN AND SANITARY

Disposable tube NSF certifed Clean and sanitary.

# PRODUCT PARAMETER

				4		
Part No.	1081052	Surface Color	White			<b>\</b>
Voltage	220~240V	Cooling System	Dry Cooling			
Frequency	50/60Hz	Outlet Temperature	3~7	18	ALG-TRADA	
Power	120W	•		•		
Electric Current	0.55A	Net Weight	14.50kg		Tonnes of the second	
Compressor	1/15HP	Dimensions	31.2cm L x 43.5cm			
Refrigerants	R600a/30g		W x 58.8cm H			
Thermostat	Digital			(		
			40		w v	